


ESIGN FOOTPRINT ш

N N

ш

FUNCTION

ш



F FOR F 1200+

For an expanded horizon:

Our powerful drive system is ideal for particularly large and heavy turn-and-tilt and tilt windows up to 3.50 m tall and 200 kg leaf weight.





Learn more about function
Access film here

DESIGN

FOOTPRINT



F FOR FREEDOM

Maximum creative freedom:

For modern façade design and maximum light: Room height window elements with automation capability create a pleasant atmosphere in the building.



Larger ventilation surfaces for better indoor air quality



More daylight for an open, bright ambiance

for FINE DESIGN

T for FOO PRIN





Award-winning design:

User-friendly and sophisticated: Iconic Award for the elegant drive with ergonomic design that integrates into different architectural styles in an understated manner.











F FOR FOOTPRINT

Minimised ecological footprint:


For sustainable buildings of the future: Large ventilation surfaces ensure high indoor air quality. They also help improve the energy efficiency of the overall building through intelligent integration into the building management technology.



F FOR FUNCTION

Intuitive and safe:

3-in-1 function: Simple turning, tilting and locking combined in one drive. The F 1200+ impresses with an intuitive operating concept via the touch display with corresponding sensors and an LED status display.





F FOR FAMILY

IQ windowdrive product family:

For intelligent ventilation concepts: The IQ windowdrive product family allows for flexible activation and integration into the building management technology.



You can find all technical product details here

TECHNICAL FEATURES OF THE F 1200+



Area of application	Buildings with large glass façades/windows Buildings suitable for natural ventilation
Type of window	Tilt window, turn-and-tilt window
Dimensions L x H x D [mm]	505 x 52 x 45
Opening width [mm]	180 configurable from 10–180
Connecting voltage [V]	24
Power consumption [W]	60
Current consumption [A]	2.5
Force [N]	500 unlock turning position 700 lock and tilted position
Opening/closing speed [mm/s]	11 parameters can be set up to max. 32
Locking time [s]	4

AT A GLANCE

The powerful F 1200+ drive opens up all new horizons:

- For automation of small to particularly large window elements up to 3.50 meters tall and up to 200 kg leaf weight
- For continuously adjustable ventilation from gap ventilation to tilted end position and turning position
- + For inward opening turn-and-tilt and tilt windows in façade areas

- For the full tilted opening width of 180 mm for all leaf heights
- For better usage safety thanks to limitation of the tilted opening width and authorised operation of the turn function
- For a high level of operating comfort thanks to intuitive touch display with brightness and proximity sensor
- For more options thanks to connectivity with the IQ windowdrive product family



GEZE GmbH

Reinhold-Vöster-Straße 21–29 71229 Leonberg

Germany

Telephone: +49 7152 203 0 Fax: +49 7152 203 310 E-Mail: info.de@geze.com

www.geze.com

Follow us!







