

# Product data sheet Levolan 120 wood



Sliding door fitting for 120 kg wooden leafs for wall and ceiling installation

# Levolan 120 wood



#### **AREAS OF APPLICATION**

- → For design-oriented interior sliding doors for living and office areas
- → For all single- and multiple-leaf sliding doors
- → Installation in front of the wall
- ightarrow For attachment on the wall and ceiling (directly and concealed) as well as for glass installation
- → Damped on one or both sides with Levolan 120 SoftStop
- → Smooth running with Levolan 120 SoftStop makes it particularly well suited for doors in living and office spaces

#### **PRODUCT FEATURES**

- → Design sliding door fitting system for timber doors up to 120 kg in leaf weight
- → Slim design with integrated door fitting technology
- → Fully integrated in the track
- → The Levolan Smart fix installation system means the use of assembly tools is reduced to a minimum for quick and convenient installation
- → Final assembly of the door fitting by simple clipping
- → With damping on one or both sides, for doors up to 120 kg leaf weight so that the door is stopped gently and pulled autonomously into the end position
- → Tested in accordance with DIN EN 1527 over 100,000 test cycles for durability

#### TECHNICAL DATA

Productname	Levolan 120 wood
Leaf material	Wood, Metal
Leaf weight (max.)	120 kg
Number of leaves	1-leaf
Leaf width (min.)	640 mm
Leaf width (max.)	1440 mm
Leaf height (max.)	3500 mm
Leaf thickness to	40 mm
Track geometry	straight
EN 1670 Corrosion resistance	3 (acc. to EN 1670: Class 0 = none defined, Class 1 = low, Class 2 medium, Class 3 = high, Class 4 = very high, Class 5 = extraordinary)
EN 1527 Continuous function	100,000 test cycles
Type of installation	Wall, Ceiling, Concealed in the ceiling, Glass installation
DIN direction	left / right
Manual operation	Yes
Surface	anodised

### Product data sheet I Page 3 of 4

# Levolan 120 wood



Colour EV1

#### PART

#### **CLAMPING PROFILE FOR ATTACHING WOODEN / METAL LEAVES**

Clamping profile for connecting timber leaves and Levolan 60/120 roller carriage



#### Designation

Clamping profile for attaching wooden / metal leaves

Clamping profile for attaching wooden / metal leaves

Clamping profile for attaching wooden / metal leaves

#### **LEVOLAN 120 COMPLETE SET**

Levolan sliding door fitting for leaf weights up to 120 kg



#### Designation

Levolan 120 complete set

Levolan 120 complete set

Levolan 120 complete set

Levolan 120 complete set

#### **ACCESSORIES**

#### **SPACER PROFILE FOR WALL CLEARANCE LEVOLAN 60 / 120**

Spacer profile for wall installation of Levolan 60/120



**GEZE GmbH** Reinhold-Vöster-Straße 21–29 D-71229 Leonberg TEL +49 7152 203-0 WEB www.geze.de Mail info.de@geze.com 2024-03-13T03:05:35Z

## Product data sheet I Page 4 of 4

# Levolan 120 wood



#### Designation

Spacer profile for wall clearance Levolan 60 / 120
Spacer profile for wall clearance Levolan 60 / 120
Spacer profile for wall clearance Levolan 60 / 120
Spacer profile for wall clearance Levolan 60 / 120 *
Spacer profile for wall clearance Levolan 60 / 120
Spacer profile for wall clearance Levolan 60 / 120
Spacer profile for wall clearance Levolan 60 / 120
Spacer profile for wall clearance Levolan 60 / 120
Spacer profile for wall clearance Levolan 60 / 120
Spacer profile for wall clearance Levolan 60 / 120
Spacer profile for wall clearance Levolan 60 / 120

# LEVOLAN 120 SOFTSTOP SET, DAMPED ON ONE SIDE, UP TO 120 KG

Levolan SoftStop draw-in damping on one side left version



#### Designation

Levolan 120 SoftStop set, damped on one side, up to 120  $\mbox{kg}$ 

<sup>\*</sup> The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.